Title: Sclerotinia-Inducible Genes and Promoters and Their Uses

and Their Uses Inventor(s): Bao et al. Application No: Not Assigned Atty Dkt No: 35718/234631(5718-139)

1/5





FIGURE 1

Probe: Chitinase

early early bəəs bətəəlni non-infected seed infected corolla tube early non-infected receptacle non-infected root infected root infected stem late more betoelni-non infected stem early more betoefini-non əloitəq bətəəlni non-infected petiole non-infected petiole infected petiole

XXX SMF3 XOXO Stem SMF3 XXX SAMES XOXO SMF3 Probe: chitinase XOXO Leaf SAIF3 XOXO EHIMS M

6.J

M

	· · · · · · · · · · · · · · · · · · ·
bəəs bətəəlni	
(haas hatsatri-non	
adut siloroo bətəəlni	
non-infected corolla tubel	198
non-infected receptacle	
non-infected root fig. fig. fig. fig. fig. fig. fig. fig.	
न्त्र { məts bətəəhri-non क्रिक्टा इस्ता	
	dia di
non-infected stem	
-	
non-infected petiole $\frac{R}{5}$	4 3 4 4 5 4
	7
non-infected petiole Eg. { sloited petiole	
o faloitan bataatui-non	

xoxo 8 wæks 2ME3 XOXO Stem e wæks SMF3 XOXO F CAWE 🚉 Probe: lipid transfer protein XOXO 8 wæks SM F3 xoxo Leaf SM E3 XOXO SM F3

FIGURE 3

 Title: Sclerotinia-Inducible Genes and Promoters

and Their Uses
Inventor(s): Bao et al.
Application No: Not Assigned

Atty Dkt No: 35718/234631(5718-139)

4/5

Chitinase promoter

CGTCGTTTCGCTTGCAGGGGGATAAAAGATAATATCATGATCACCATTCA
TCACGCCTAAAATTCCTCCTCTTAGTCAATTGTGAATATTTTGTAATTAT
TGTGTAGACTATAACTGTTATGTCTTTGCATATATTTCTCCTTGTAATTA
GCCTTGTATTCCAGTATATAATGATATCAAAACTCTCTAATCAAGCAGA
AGAGTTCCCTGAATTACATCACCGCTGCCATTTTAGTCCACTAAGTTAAC
TTCATCCATTAATTTTGTTAACGTGAAAGGAAATTCGGTCATTTTCTATG
GCCGAATTGCCCTTGTAGTTCACAAAATTACATATAAAACCACCGAATTG
CCGTTCTCGTTAACAGAAAAAATGAAGTTAACCCAGTGGACTAAAA
TGGCCAACGATGAAACCATTTTGGATCCACAGGCGAAAAATGAAACTTTT

MRE-like

GGACTAAACTGGCGAAAAATAAAACTTTTGGACTAAACTACATGAACTAA
AATGGCTTTTAACTAAATTTTAATAACCGTTTTAATTTTATAAAGAAAA
ĀTAAACTTTACAAAAAGCATCGCTTGTCTATTTTATAAAGATTAAAGTTA
CTTGCACGTTCAAACATATGTTACTAGATGAATCAAGAGTCATGTACAAC
TCTATGTTTAGATAAGGTTACTAGATGAATATGAGTTAGTCATCTATAAG
CAAT box MRE-like

CAAT box MRE-like
TCTATACTTAGAAAGTTCAAAGTCAATGATTTGTATTGAATACTGTTTGT
AGTTGAATTCATAAAAAGCTTTGAATACTGTTTGTAGTTGAATTCATAAAA

TATA box

 ${\tt GCTCGAG} \underline{{\tt TATAA}} {\tt GAGATCATGGGGATTCCTCGAGTATTACAACACACGATG}$

FIGURE 4

Title: Sclerotinia-Inducible Genes and Promoters

and Their Uses
Inventor(s): Bao et al.
Application No: Not Assigned

Atty Dkt No: 35718/234631(5718-139)

5/5

LTP promoter

ATCCTACTACCTCAAACTTTATCTAATTCATCAACACAACGGAGGTTTGG TTATATTTGTTTGGTCCATCCAAAAGGACAAAAATGCACTTCATCTTAAC

xod-W

W-box

TATA box

ACGATACATCACCACCTAGATTTGAATTCTCATTGGGCCCAATGGTCTAT

AAATAATGCACCAACCCCTCAGTTTAAACCACCACCACTACACTTCATAC

AACAAAACCTCTCTAACCACTCCTTAATCCCCTCCAAAATG